Version number 1

Revision: 06.04.2016

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: Feinmechaniköl TECNO 100 ml

- · Article number: 60240
- **1.2 Relevant identified uses of the substance or mixture and uses advised against** No further relevant information available.
- · Application of the substance / the mixture Lubricating oil
- · 1.3 Details of the supplier of the safety data sheet

• *Manufacturer/Supplier:* Fackelmann GmbH + Co. KG Sebastian-Fackelmann-Str. 6 91217 Hersbruck Tel: 09151-811 153 Fax: 09151-811 294 www.fackelmann.de

· Informing department: Phone: 09151-811 153

• **1.4 Emergency telephone number:** Phone 09151-811 153 (Office hours 08:00 - 16:00) Poisoning Information Center Fribourg Mathildenstr. 1 D-79106 Freiburg Germany Tel.: +49-(0)761-19240 giftinfo@uniklinik-freiburg.de (Information in German and English)

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008
- GHS0

GHS08 health hazard

Asp. Tox. 1 H304 May be fatal if swallowed and enters airways.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008
- The product is classified and labelled according to the CLP regulation. *Hazard pictograms*



- · Signal word Danger
- *Hazard-determining components of labelling:* Distillates (petroleum), heavy hydrocracked
- Hazard statements
 H304 May be fatal if swallowed and enters airways.
- **Precautionary statements** P102 Keep out of reach of children. P301+P310 IF SWALLOWED: Immediately call a doctor.

(Contd. on page 2)

GB

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 06.04.2016

Version number 1

Revision: 06.04.2016

≤ 1.0%

Trade name: Feinmechaniköl TECNO 100 ml

_			(Contd. from page 1)
P331		uce vomiting.	
P405	Store locke		
P501	Dispose of regulations.	contents/container in accordance with I	local/regional/national/international
· Addition	al information	:	
Contains	Alkylamine, lar	gkettiges. May produce an allergic rea	action.
· 2.3 Othe			
· Results	of PBT and vP	vB assessment	
	applicable.		
	ot applicable.		
	or applicable.		
SECTI	ON 3: Com	position/information on ingl	redients
· 3 2 Chor	nical characte	risation: Mixtures	
· Descript	ion: Highly reli	ned mineral oil (IP 346 DMSO < 3%) ar	nd additives.
 Dangero 	us componen	ts:	
CAS: 647	41-76-0	Distillates (petroleum), heavy hy	ydrocracked 50 - 100%

SECTIO	ON 4:	First aid	l measures
--------	-------	-----------	------------

· 4.1 Description of first aid measures

· General information

EINECS: 265-077-7

Reg.nr.: 01-2119486951-26-X

Take affected persons into the open air.

Remove contaminated clothing immediately.

· After inhalation

Supply fresh air and call for doctor for safety reasons.

In case of unconsciousness bring patient into stable side position for transport.

🕹 Asp. Tox. 1, H304

Alkylamine, langkettiges

Skin Sens. 1, H317

· After skin contact

Instantly wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

· After eye contact

Keep eye lids open and rinse them with ample amounts of clean running water for at least 15 minutes.

Call a doctor immediately.

- *After swallowing* Do NOT induce vomiting in order to prevent an invasion into the lungs. Instantly call for doctor.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.
- · Information for doctor

SECTION 5: Firefighting measures

· 5.1 Extinguishing media

• Suitable extinguishing agents Extinguishing powder, foam or water jet. Fight larger fires with water jet or alcohol-resistant foam.

- For safety reasons unsuitable extinguishing agents Water with a full water jet. • 5.2 Special hazards arising from the substance or mixture
- Can be released in case of fire: Nitrogen oxides (NOx)

(Contd. on page 3)

GB

Version number 1

Revision: 06.04.2016

Trade name: Feinmechaniköl TECNO 100 ml

(Contd. from page 2) Carbon monoxide (CO)
 5.3 Advice for firefighters Protective equipment: Wear self-contained breathing apparatus.
· Additional information
Use water to keep fire exposed containers cool.
Provide for sufficient reservoirs for water for fire fighting. Dispose of contaminated fire fighting water in accordance with official regulations.
· · · · · · · · · · · · · · · · · · ·
SECTION 6: Accidental release measures
 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. Particular danger of slipping on leaked/spilled product. Avoid contact with the product. 6.2 Environmental precautions:
Prevent from spreading (e.g. by damming-in or oil barriers). Prevent material from reaching sewage system, holes and cellars.
Do not allow to enter drainage system, surface or ground water.
 6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders). Dispose of the material collected according to regulations.
· 6.4 Reference to other sections
See Section 7 for information on safe handling See Section 8 for information on personal protection equipment.
See Section 13 for information on disposal.
SECTION 7: Handling and storage
 7.1 Precautions for safe handling Keep away from heat and direct sunlight. Avoid the formation of oil haze. Information about protection against explosions and fires: No special measures required.
· 7.2 Conditions for safe storage, including any incompatibilities
 Storage Requirements to be met by storerooms and containers: Store only in the original container.
Prevent any penetration into the ground.
 Information about storage in one common storage facility: Store away from foodstuffs. Further information about storage conditions:
Store in cool, dry conditions in well sealed containers.
• 7.3 Specific end use(s) No further relevant information available.
SECTION 8: Exposure controls/personal protection
 8.1 Control parameters Components with limit values that require monitoring at the workplace: The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
 · 8.2 Exposure controls · Personal protective equipment · General protective and hygienic measures
The usual precautionary measures should be adhered to general rules for handling chemicals. Do not carry cleaning cloths impregnated with the product in trouser pockets. Do not eat or drink while working.

(Contd. on page 4)

GB

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 06.04.2016

Version number 1

Revision: 06.04.2016

(Contd. from page 3)

Trade name: Feinmechaniköl TECNO 100 ml

- · Breathing equipment: Not required.
- Protection of hands:



Protective gloves.

Material of gloves

Nitrile rubber, NBR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- *Eye protection:* Safety glasses recommended during refilling.
- · Body protection: Protective work clothing.

9.1 Information on basic physical and chemical properties				
General Information				
Appearance:				
Form:	Fluid			
Colour:	Light yellow			
Odour:	Characteristic			
Change in condition				
Boiling point/Boiling range: Not determined				
Pour point:	-12 °C			
Flash point:	180 ℃			
Danger of explosion:	Product is not explosive. However, formation of explosive air/			
	steam mixtures is possible.			
Critical values for explosion:				
Lower:	Not determined.			
Upper:	Not determined.			
Density at 15 ℃	0.857 g/cm ³			
Solubility in / Miscibility with				
Water:	Not miscible or difficult to mix			
Viscosity:				
dynamic:	Not determined.			
kinematic at 40 °C:	14 - 17 mm²/s			
Solvent content:				
Organic solvents:	0.0 %			
Water:	0.0 %			
9.2 Other information	No further relevant information available.			

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

• Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

(Contd. on page 5)

⁻ GB

Version number 1

Revision: 06.04.2016

(Contd. from page 4)

Trade name: Feinmechaniköl TECNO 100 ml

- · 10.3 Possibility of hazardous reactions No dangerous reactions known
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: Avoid contact with strong oxidizing agents.

SECTION 11: Toxicological information

· 11.1 Information on toxicological effects

- Acute toxicity Based on available data, the classification criteria are not met.
- Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- Serious eye damage/irritation Based on available data, the classification criteria are not met.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity Based on available data, the classification criteria are not met.
- *Reproductive toxicity* Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard

May be fatal if swallowed and enters airways.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability The product is not easily, but potentially biodegradable.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water. Do not allow product to reach ground water, water bodies or sewage system. Danger to drinking water if even small quantities leak into soil.

- 12.5 Results of PBT and vPvB assessment
- *PBT:* Not applicable.
- *vPvB:* Not applicable.

• 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Smaller quantities can be disposed with household waste.

Organic material soaked with product, i.e. cleaning cloth or paper, represents a fire hazard and shall be collected and disposed in a controlled way.

The waste code numbers mentioned are recommendations based on the probable use of the product.

· Europear	· European waste catalogue		
	OIL WASTES AND WASTES OF LIQUID FUELS (except edible oils, and those in chapters 05, 12 and 19)		
13 02 00	waste engine, gear and lubricating oils		
13 02 05*	mineral-based non-chlorinated engine, gear and lubricating oils		
	(Contd. on page 6)		

GB

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 06.04.2016

Version number 1

Revision: 06.04.2016

Trade name: Feinmechaniköl TECNO 100 ml

(Contd. from page 5)

· Uncleaned packagings:

· Recommendation:

Dispose of packaging according to regulations on the disposal of packagings. Packagings that cannot be cleaned are to be disposed of in the same manner as the product.

SECTION 14: Transport information

Void		
Void		
Void		
Void		
Not applicable.		
Not applicable.		
• 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable.		
Not dangerous according to the above specifications.		
Void		

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Labelling according to Regulation (EC) No 1272/2008
- The product is classified and labelled according to the CLP regulation.
- · Hazard pictograms



- · Signal word Danger
- *Hazard-determining components of labelling:* Distillates (petroleum), heavy hydrocracked
- · Hazard statements

H304 May be fatal if swallowed and enters airways.

· Precautionary statements

P102 Keep out of reach of children.

P301+P310 IF SWALLOWED: Immediately call a doctor.

- P331 Do NOT induce vomiting.
- P405 Store locked up.
- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

(Contd. on page 7)

Version number 1

Revision: 06.04.2016

Trade name: Feinmechaniköl TECNO 100 ml

(Contd. from page 6)

GF

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

- · National regulations
- · Water hazard class: Water hazard class 2 (Self-assessment): hazardous for water.
- · Substances of very high concern (SVHC) according to REACH, Article 57

None of the ingredients is contained.

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

· Relevant phrases

H304 May be fatal if swallowed and enters airways. H317 May cause an allergic skin reaction.

· Department issuing data specification sheet:

This Material Safety Data Sheet has been drawn up in cooperation with: DEKRA Assurance Services GmbH, Hanomagstr. 12, D-30449 Hanover, Germany,

phone: (+49) 511 42079 - 0, reach@dekra.com.

© DEKRA Assurance Services GmbH. Changing this documents is subject to explicit acceptance by DEKRA Assurance Services GmbH.

 Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern vPvB: very Persistent and very Bioaccumulative DNEL: Derived No-Effect Level (REACH) PNEC: Predicted No-Effect Concentration (REACH) LC50: Lethal concentration, 50 percent Skin Sens. 1: Skin sensitisation - Category 1 Asp. Tox. 1: Aspiration hazard - Category 1